Space Details

Key: IDEPLUGIN

Name: Atlassian IDE Plugin

Description:

Creator (Creation Date): smaddox (Mar 21, 2008)
Last Modifier (Mod. Date): smaddox (Mar 21, 2008)

Available Pages

• IDE Plugin Documentation 🚳

- Overview of the IDE Plugin
- IDE Plugin for Eclipse
 - License and Copyright for the IDE Plugin for Eclipse
 - Installing the IDE Plugin for Eclipse
 - Upgrading the IDE Plugin for Eclipse
 - IDE Plugin User Guide for Eclipse
 - Configuring the Plugin for Eclipse
 - Using the Atlassian Bamboo View in Eclipse
- IDE Plugin for IDEA
 - License and Copyright for the IDE Plugin for IDEA
 - Installing the IDE Plugin for IDEA
 - Upgrading the IDE Plugin for IDEA
 - IDE Plugin User Guide for IDEA
 - Configuring the Plugin
 - Using Bamboo in your Plugin
 - Using Crucible in your Plugin
 - Using JIRA in your Plugin
 - IDE Plugin Keyboard Shortcuts
- IDE Plugin Release Notes
 - Atlassian IDE Plugin 1.4 Release Notes
 - Atlassian IDE Plugin 1.3.1 Release Notes
 - Atlassian IDE Plugin 1.3 Release Notes
 - Atlassian IDE Plugin 1.2.1 Release Notes
 - Atlassian IDE Plugin 1.2 Release Notes
 - Atlassian IDE Plugin 1.1 Release Notes
 - Atlassian IDE Plugin 1.0 Release Notes
- IDE Plugin Knowledge Base
 - Displaying a description of the issue status
 - Troubleshooting Server Connection
 - HTTP 404 error when connecting to Crucible even though the URL seems to be correct

IDE Plugin Documentation

This page last changed on Jun 12, 2008 by smaddox.

IDE Plugin Documentation	Resources
Plugin for Eclipse: • Installation Guide • Upgrade Guide • User Guide Plugin for IDEA: • Installation Guide • Upgrade Guide • Upgrade Guide • User Guide Release Notes	If you encounter a problem using the Atlassian IDE Plugin, please contact our support team. This is an open source project. To access the plugin's source code, point your SVN at: https://studio.atlassian.com/svn/PL . (If you don't already have an account, please go to http://studio.atlassian.com and sign up for an account. You should then be able to access the svn repository with your new account.) Other handy links: • IDE Plugin Knowledge Base • Javadoc • JIRA Issue Tracker
About the Atlassian IDE Plugin	
<u>JIRACrucibleBamboo</u>	
There's more information in our <u>Overview of the IDE Plugin</u> .	Offline Versions of the Documentation
Current released version Atlassian IDE Plugin for IDEA version 1.4 has	You can <u>download the IDE Plugin documentation</u> in PDF, HTML or XML formats.

now been released — see the Atlassian IDE Plugin 1.4 Release Notes

Looking for Other Plugins?

If you're in the wrong place, try these links instead:

- Clover IDE plugins see the <u>Clover</u> documentation
- Plugins for Atlassian products see plugin information for <u>Confluence</u>, <u>JIRA</u>, <u>Crowd</u>, **Bamboo**
- Resources for plugin developers see Atlassian Developer Network

Table of Contents

Overview of the IDE Plugin

IDE Plugin for Eclipse

- License and Copyright for the IDE Plugin for Eclipse
- Installing the IDE Plugin for Eclipse
- Upgrading the IDE Plugin for Eclipse
- IDE Plugin User Guide for Eclipse

IDE Plugin for IDEA

- · License and Copyright for the IDE Plugin for IDEA
- Installing the IDE Plugin for IDEA
- Upgrading the IDE Plugin for IDEA
- IDE Plugin User Guide for IDEA

IDE Plugin Release Notes

- Atlassian IDE Plugin 1.4 Release Notes
- Atlassian IDE Plugin 1.3.1 Release Notes
- Atlassian IDE Plugin 1.3 Release Notes
- Atlassian IDE Plugin 1.2.1 Release Notes
- Atlassian IDE Plugin 1.2 Release Notes
- Atlassian IDE Plugin 1.1 Release Notes
- Atlassian IDE Plugin 1.0 Release Notes

IDE Plugin Knowledge Base

- Displaying a description of the issue statusTroubleshooting Server Connection

Overview of the IDE Plugin

This page last changed on Jun 12, 2008 by smaddox.

What is the Atlassian IDE Plugin?

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant IIRA issues, Crucible reviews and Bamboo build information right there in your development environment.

Supported IDEs

The Atlassian IDE Plugin is available for **IDEA** and **Eclipse**.

Take a look at the documentation for each IDE:

- IDE Plugin for Eclipse
- IDE Plugin for IDEA

In the future we would like to support other IDEs too, such as Visual Studio.



Watch this space for developments

The plugin is under development. We plan to integrate more of the <u>Atlassian products</u> and we'll keep expanding the features in the currently-integrated products.

IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by smaddox.

The current version of the Atlassian IDE Plugin for Eclipse integrates the following Atlassian product into your IDE:

• Bamboo — the Zen of continuous integration



Watch this space for developments

The plugin is under development. We plan to integrate more of the <u>Atlassian products</u> and we'll keep expanding the features in the currently-integrated products.

Table of Contents

- License and Copyright for the IDE Plugin for Eclipse
- Installing the IDE Plugin for Eclipse
- Upgrading the IDE Plugin for Eclipse
- IDE Plugin User Guide for Eclipse
 - Configuring the Plugin for Eclipse
 - Using the Atlassian Bamboo View in Eclipse

License and Copyright for the IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by smaddox.

Open Source

This is an open source project. You can get the source code from our SVN repository.

Copyright Statement

© Atlassian 2008

License

Licensed under the Eclipse Public License, Version 1.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.eclipse.org/legal/epl-v10.html

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by smaddox.

On this page:

Error formatting macro: toc: java.lang.NullPointerException

System Requirements

- Eclipse version 3.3 (Europa) or better
- Bamboo 1.x or 2.x


This is a very early release of the Atlassian IDE Plugin for Eclipse, and is only available for <u>Bamboo</u> at the moment. Keep watching this space for more features and more integration with other Atlassian products.

Installation in Short

Add $\underline{\text{http://update.atlassian.com/atlassian-eclipse-plugin}}$ to your Eclipse update sites and then install the plugin.


Installation in Detail

- 1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Find and Install'.
- 2. The 'Feature Updates' screen will appear, as shown in the screenshot below:




Select 'Search for new features to install' and click 'Next'.

3. The 'Update sites to visit' screen will appear, as shown in the screenshot below:




Click the 'New Remote Site' button.

4. The 'New Update Site' screen will appear, as shown in the screenshot below:




Enter the following information:

- Name Atlassian Eclipse Plugin
- URL http://update.atlassian.com/atlassian-eclipse-plugin/Click 'OK'.
- 5. The 'Search Results' screen will appear with 'Atlassian Eclipse Plugin' in the list, as shown in the screenshot below:




Put a tick in the checkbox next to 'Atlassian Eclipse Plugin', to select all features for installation. Click the 'Next' button.

6. The 'Feature License' screen will appear as shown in the screenshot below:




Accept the license agreement and click the 'Next' button.

7. The 'Installation' screen will appear, as shown in the screenshot below:




Verify the installation details, including the location where you want the plugin to be installed. Click the 'Finish' button.

8. Now you will see the progress of the update, something like this:



9. A 'Feature Verification' warning may appear, as shown in the screenshot below:



This is because the plugin download is not signed via a digital certificate. Click the 'Install' button to accept the unsigned feature.

10. When the download has finished you will be offered the chance to restart Eclipse, as shown in the screenshot below:



Click 'Yes' to close Eclipse. Start Eclipse again to activate the plugin.

RELATED TOPICS

Configuring the Plugin for Eclipse Overview of the IDE Plugin


Upgrading the IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by smaddox.

This page tells you how to upgrade the Atlassian IDE Plugin for Eclipse. If you have never installed the plugin, please refer to the <u>installation guide</u> instead.

To upgrade the Atlassian IDE Plugin in Eclipse:

- 1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Find and Install'.
- 2. The 'Feature Updates' screen will appear, as shown in the screenshot below:



Select 'Search for updates of the currently installed features' and click 'Finish'.

- 3. The 'Update Site Mirrors' screen may appear. Select the appropriate mirror site for your geographical location.
- 4. The 'Search Results' screen will appear with 'Atlassian Eclipse Plugin' in the list. Select all features for installation and click the 'Next' button.
- 5. The 'Feature License' screen will appear. Accept the license agreement and click the 'Next' button.
- 6. The 'Installation' screen will appear. Verify the installation details, including the location where you want the plugin to be installed. Click the 'Finish' button.
- 7. A 'Feature Verification' warning may appear. This is because the plugin download is not signed via a digital certificate. Click the 'Install' button to accept the unsigned feature.
- 8. When the download has finished you will be offered the chance to restart Eclipse. Click 'Yes' to close Eclipse. Start Eclipse again to activate the new version of the plugin.

RELATED TOPICS

Installing the IDE Plugin for Eclipse Configuring the Plugin for Eclipse IDE Plugin User Guide for Eclipse

IDE Plugin User Guide for Eclipse

This page last changed on Jun 12, 2008 by smaddox.

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant JIRA issues, Crucible reviews and Bamboo build information right there in your development environment.

The IDE Plugin User Guide tells you how to set up and use your Atlassian IDE Plugin in Eclipse.

Table of Contents

- Configuring the Plugin for Eclipse
- Using the Atlassian Bamboo View in Eclipse

RELATED TOPICS

Installing the IDE Plugin for Eclipse

Configuring the Plugin for Eclipse

This page last changed on Jun 11, 2008 by smaddox.

In the Eclipse 'Preferences' window, you can define the Bamboo server that the plugin connects to and enter the names of the builds you are interested in.

On this page:


Error formatting macro: toc: java.lang.NullPointerException

Accessing the Plugin Preferences Window

- 1. In Eclipse, click the 'Window' menu and select 'Preferences'.
- 2. Select 'atlassian-eclipse-plugin' from the list.
 - The naming of the list item depends on the name you gave the plugin when you installed it into Eclipse. If you followed our <u>installation guide</u>, you would have given it the name Atlassian Eclipse Plugin.
- 3. The 'Preferences' window will open, as shown in the screenshot below.

Configuring your Bamboo Server Connections

Screenshot: Configuring your Bamboo server



To configure your server:

- 1. Enter the server name, server URL and your username and password.
- 2. 'Builds' Enter the names of the build plans that the plugin will watch, separated by spaces.
- 3. Click 'Apply' or 'OK' to save the changes.

RELATED TOPICS

Installing the IDE Plugin for Eclipse IDE Plugin User Guide for Eclipse IDE Plugin Documentation

Using the Atlassian Bamboo View in Eclipse

This page last changed on Jun 11, 2008 by smaddox.


The Atlassian IDE Plugin gives you <u>Bamboo</u> build information right there in your integrated development environment. This page tells you how to use the Bamboo view provided by the Atlassian IDE Plugin in <u>Eclipse</u>.

On this page:

Error formatting macro: toc: java.lang.NullPointerException

Accessing the Bamboo View in Eclipse

Screenshot: Accessing the Bamboo view




To open the Bamboo view provided by the Atlassian IDE Plugin:

- 1. In Eclipse, click the 'Window' menu and select 'Show View' then 'Other'.
- 2. Expand the folder named 'atlassian-eclipse-plugin'.
 - The naming of the folder depends on the name you gave the plugin when you installed it into Eclipse. If you followed our <u>installation guide</u>, you would have given it the name Atlassian Eclipse Plugin.
- 3. Select 'Atlassian (Bamboo)'.
- 4. Click 'OK'.
- 5. The 'Atlassian (Bamboo)' view will open, as shown in the screenshot below. On this page we will call it the 'Bamboo view', because it's shorter.

Contents of the Bamboo View in Eclipse

The Bamboo view shows information about all build plans of the server defined in the Preferences window. (See <u>Configuring the Plugin for Eclipse</u>.)

Screenshot: Bamboo view



You can perform the following functions for each line in the list:

- Double-click a line to open the selected plan in a new browser window.
- Select a line to enable the actions in the tool bar.

The tool bar above the list of plans provides more functionality:

- of the selected plan.
- Label a build.
- Add a comment to a build.
- of the list by polling the configured Bamboo server.

RELATED TOPICS

Installing the IDE Plugin for Eclipse Configuring the Plugin for Eclipse IDE Plugin User Guide for Eclipse

- Re-run the last build
- (Not yet available.)
- (Not yet available.)
- Refresh the contents

IDE Plugin for IDEA

This page last changed on Jun 12, 2008 by smaddox.

The Atlassian IDE Plugin for IDEA integrates the following Atlassian products into your IDE:

- JIRA because you've got issues
- <u>Crucible</u> peer code review made <u>painless</u>
- Bamboo the Zen of continuous integration

Watch this space for developments

The plugin is under development. We plan to integrate more of the Atlassian products and we'll keep expanding the features in the currently-integrated products.

Table of Contents

- License and Copyright for the IDE Plugin for IDEAInstalling the IDE Plugin for IDEA
- Upgrading the IDE Plugin for IDEA
- IDE Plugin User Guide for IDEA
 - Configuring the Plugin
 - Using Bamboo in your Plugin
 - Using Crucible in your Plugin
 - Using JIRA in your Plugin
 - IDE Plugin Keyboard Shortcuts

License and Copyright for the IDE Plugin for IDEA

This page last changed on Jun 12, 2008 by smaddox.

Open Source

This is an open source project. You can get the source code from our SVN repository.

Copyright Statement

© Atlassian 2008

License

Licensed under the Apache License, Version 2.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the IDE Plugin for IDEA

This page last changed on Jun 04, 2008 by smaddox.

System Requirements

Development Environment

IntelliJ IDEA 7.0.2 or above

JDK

Java 5

Atlassian Products

The Atlassian IDE Plugin works with the following versions of Atlassian products:

- JIRA a recent version.
 - We have tested with JIRA 3.12, so the plugin will definitely work with JIRA 3.12 or later. It should work with earlier versions too, but we haven't tried yet. We are not using any super-new features. If you use the plugin with earlier versions of JIRA, please let us know how it goes! You can add comments to this documentation page.
 - Update: We do know that the plugin will not work with JIRA version lower than 3.7 URLs for retrieving issue lists have been changed in that version.
- Bamboo 1.x or Bamboo 2.x
- Crucible 1.5

Support for other products will be added in future versions of the plugin. If you would like to have a say in the prioritisation of plugin development tasks, please go to our <u>issue tracker</u>. There you can:

- Search to see if your issue or request already exists.
- · Vote for it if you find it already there.
- Create a new ticket please select a type of 'Story'.

Installation — The Easy Way

- 1. Open the IDEA plugin manager.
- 2. Right-click 'Atlassian' in the 'Available' plugins tab.
- 3. Select 'Download and Install'.

Installation — The Hard Way

- 1. Go to http://docs.atlassian.com/atlassian-idea-plugin/.
- 2. Select the directory with the latest version.
- 3. Click the 'Download' link in the upper-left corner.
- 4. Grab the atlassian-idea-plugin-<version>.zip file.
- 5. Unzip it into your IDEA plugin directory:
 - Windows: C:\Documents and Settings\<username>\.IntelliJIdea70\config\plugins
 - OS X: \$HOME/Library/Application Support/IntelliJIDEA70
 - Linux/Unix: \$HOME/.IntelliJIdea70/config/plugins

RELATED TOPICS

Configuring the Plugin
Upgrading the IDE Plugin for IDEA
Overview of the IDE Plugin

Upgrading the IDE Plugin for IDEA


This page last changed on May 27, 2008 by smaddox.

The Atlassian IDE Plugin provides an auto-upgrade option and a manual upgrade option. Both options are described below.

Allowing the Auto-Upgrade

If the auto-upgrade feature is enabled (refer to the <u>Configuration Guide</u>), the Atlassian IDE Plugin will inform you when a new version is available, by displaying a flashing icon on your <u>IDEA</u> status bar.

Screenshot: IDEA showing update available for IDE Plugin



Flashing auto-upgrade icon in IDEA

To allow the auto-upgrade:


- 1. Click the flashing icon.
- 2. A dialogue box will appear, allowing you to install the new version. You can also choose to reject the upgrade.



If you choose to reject the upgrade, you will not be notified again about the availability of this particular new version. You will be notified about the next version we release.

If you later change your mind and decide to upgrade after all, you can always trigger the upgrade manually, as described below.

- 3. Click the 'Yes' button to install the latest version.
- 4. When the latest version has been successfully installed, you will see a confirmation window:



5. Click the 'Yes' button to restart IDEA.

Triggering the Upgrade Manually

You can check for new versions of the plugin and start the upgrade manually at any time, from the plugin's configuration panel.

To trigger a manual upgrade:


- 1. Open the IDEA 'Settings' dialogue, go to the 'IDE Settings' section and click the 'Atlassian' icon.
- 2. The plugin configuration panel will open. Click the 'General' tab.
- 3. Select one of the following radio buttons:
 - 'Stable only' checks for released versions of the plugin only.
 - 'Stable + snapshot' checks development as well as released versions.
- 4. Click the 'Check now' button. The plugin will check for the latest version.
 - If you already have the latest version, you will see something like this:



• If there is a later version available, a dialogue box will tell you the latest version number and ask you if you want to install it:



- 5. Click the 'Yes' button to install the latest version.
- 6. When the latest version has been successfully installed, you will see a confirmation window:



7. Click the 'Yes' button to restart IDEA.

RELATED TOPICS

<u>Installing the IDE Plugin for IDEA</u> Configuring the Plugin

IDE Plugin User Guide for IDEA

This page last changed on Jun 12, 2008 by smaddox.

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant JIRA issues, Crucible reviews and Bamboo build information right there in your development environment.

The IDE Plugin User Guide tells you how to set up and use your Atlassian IDE Plugin in IDEA.

Table of Contents

- Configuring the Plugin
- Using Bamboo in your Plugin
- Using Crucible in your Plugin
- Using JIRA in your Plugin
- IDE Plugin Keyboard Shortcuts

RELATED TOPICS

Installing the IDE Plugin for IDEA

Configuring the Plugin

This page last changed on Jun 10, 2008 by smaddox.

The plugin configuration panel displays the version number of the plugin that you are currently using and its SVN repository version.

You can also:

- Define the servers that the plugin connects to.
- · Test the connections to the servers.
- Modify the behaviour of the plugin in certain situations.
- Report bugs and request new features for the plugin.
- Open the online help on configuring the plugin (namely, this page).

On this page:

Error formatting macro: toc: java.lang.NullPointerException


Accessing the Plugin Configuration Panel

There are two ways to open the configuration panel:

- If you are using <u>IDEA</u>, open the IDEA 'Settings' dialogue, go to the 'IDE Settings' section and click the 'Atlassian' icon.
- Or you can click the configuration icon

on your plugin window.

The plugin configuration panel will open, as shown in the screenshot below. Screenshot: Plugin configuration panel



Reporting Bugs and Requesting New Features

Click the following links on the configuration panel:

- Report Bug This will open a bug-creation page in the plugin's <u>JIRA issue tracker</u>. It will automatically populate the plugin version number and details of the environment (Java version and vendor, OS details, build number of your IDE).
- Request Feature This will open an issue-creation page of the 'Story' type in the plugin's <u>JIRA issue tracker</u>. Use this issue type to request new plugin functionality.


Getting Help

Click the 'Help' link on the configuration panel. This will open the online documentation page which tells you how to configure the plugin — namely, this page. From here, you can click the links to view other online documentation pages.

If you're looking for support or other help, please take a look at the links on our <u>documentation home</u> <u>page</u>.

Configuring your Server Connections

Screenshot: Servers tab of the plugin configuration panel



The 'Servers' tab allows you to define the servers that the plugin connects to.

To add a server:

- Click the plus icon the configuration panel.
- 2. Select the server type: 'Bamboo', 'Crucible' or 'JIRA'.
- 3. Enter the server name, server URL and your username and password.
- 4. Click the 'Test Connection' button to check that the connection to the server works.

Other configuration options:

Server Enabled — You can enable or disable particular servers without deleting them. This is useful
if your servers are behind a firewall and you don't have access to them.

Document generated by Confluence on Jun 12, 2008 20:10

on

- Remember Password You have an option to save your password on disk or to be asked for it
 every time you start your IDE.
 - 1 If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
- Build Plans For Bamboo servers, you can select build plans that the plugin will watch. You can either select plans manually from the list of plans defined on the Bamboo server, or simply use your favourite plans defined on the server.


To remove a server from the list:

- 1. Select the server.
- 2. Click the minus icon the configuration panel.

on

Configuring the Plugin's Bamboo Options

Screenshot: Bamboo tab of the plugin configuration panel




The 'Bamboo' tab is used to define:

- The behaviour of the popup window that is shown when the status of the build changes. (See <u>Using Bamboo in your Plugin</u>.)
- The polling interval that the plugin will use to monitor build plans on all defined Bamboo servers. Specify the value in minutes.

Configuring the Plugin's Crucible Options


Screenshot: Crucible tab of the plugin configuration panel



The 'Crucible' tab is used to define the polling interval that the plugin will use to monitor all defined Crucible servers. Specify the value in minutes.

Configuring the Plugin's JIRA Options

Screenshot: JIRA tab of the plugin configuration panel




The 'JIRA' tab is used to:

- Define the polling interval that the plugin will use to monitor all defined JIRA servers. Specify the value in minutes.
 - This feature is not currently used.
- Determine whether a textual description of the JIRA issue type, status and priority should be shown next to their icons in the JIRA issue list.

Configuring General Plugin Options

Screenshot: General tab of the plugin configuration panel



The 'General' tab is used to define the upgrade options for your plugin, configure an HTTP proxy and set other options as described below.

Automatic Upgrade

The plugin's auto-upgrade feature, if enabled, will prompt you to install the most recent version of the plugin when available.

To configure the plugin's auto-upgrade feature:

- 1. Put a tick in the 'Enabled (stable version)' checkbox to enable the plugin auto-upgrade feature. The plugin will check for the latest available stable (released) version of the plugin.
- 2. Put a tick in the 'Check snapshot versions' checkbox if the auto-upgrade should include unstable (development) versions of the plugin as well as stable versions.

Manual Upgrade

To check immediately for the latest version of the plugin:


- 1. Select one of the radio buttons as follows:
 - Stable only the plugin will check for the latest available stable (released) version of the plugin.
 - Stable + snapshot the plugin will check for the latest version, including unstable (development) versions of the plugin as well as stable versions.
- 2. Click the 'Check now' button.

For more details, refer to <u>Upgrading the IDE Plugin for IDEA</u>.

HTTP Proxy

To enable or disable the plugin's HTTP proxy support:

1. Click the 'Settings' button. A dialogue will appear, similar to this screenshot:



- 2. Enter the required settings and click the 'OK' button. If your proxy requires specifying a domain name in addition to user name, enter the information in the domain\user format
- 3. Restart your IDE, for your changes to take effect.

Collection of Statistics

Put a tick in the 'Report anonymous usage statistics' checkbox if you are happy for us to collect information on the plugin usage. If you agree to take part, the plugin will send <u>Atlassian</u> the unique ID generated by the plugin on its first installation. No other information is collected.

This feature is disabled by default. When you first open the plugin configuration panel, we also ask you to decide whether you agree to participate in the statistics collection.

RELATED TOPICS

IDE Plugin User Guide for IDEA IDE Plugin Documentation

Using Bamboo in your Plugin

This page last changed on Jun 10, 2008 by smaddox.

The Atlassian IDE Plugin gives you <u>Bamboo</u> build information right there in your integrated development environment.

On this page:

Error formatting macro: toc: java.lang.NullPointerException

Bamboo Icon

After you have defined the Bamboo servers and plans to monitor, the icon in the status bar shows the summary status of builds. If at least one build is currently failing, the icon is red, otherwise it is green.

In addition, when the summary status changes (e.g. when a build fails), a popup window appears to warn you of the problem.


Click the status icon to open a Bamboo tab in the plugin window, where detailed information is shown.

Contents of the Bamboo Tab in the Plugin Window

The Bamboo tab of the plugin window shows information about all plans of all servers defined in the plugin configuration panel.

The set of information is different for Bamboo 1.x and Bamboo 2.x servers. Bamboo 2.x servers can to return more detailed information than Bamboo 1.x.


Screenshot: Bamboo tab in the plugin window



You can perform the following functions for each line in the list:

- Double-click a line to open the selected plan in a new browser window.
- Right-click a line to show a popup context menu (pictured below) with actions that can be performed for a Bamboo plan.
 - For Bamboo 1.x, the only available action is 'Run build', which re-runs the last build of the selected plan.
 - For Bamboo 2.x, the list of available actions includes:
 - View Open the selected plan in a new browser window.
 - Add label Label a build. (See below.)
 - Add comment Add a comment to a build. (See below.)
 - Run build Re-run the last build of the selected plan.

Screenshot: Bamboo context menu



The tool bar above the list of plans provides more functionality:

- configuration panel.
- usage of the Bamboo tab (i.e. open this page in your browser).
- of the list by polling the configured Bamboo servers.
- of the selected plan.
- below.)
- build. (See <u>below</u>.)


- Open the plugin
- Get help on the
- Refresh the contents
- Re-run the last build
- Label a build. See
- Add a comment to a

Commenting on a Build

You can add a comment to the latest build in the plan:

- 1. Right-click on the plan and select 'Add comment' from the <u>popup context menu</u>, or select the comment icon from the <u>tool bar</u>.
- 2. A dialog box opens, as shown below. Enter your comment text.

Screenshot: Adding a build comment




Labelling a Build

You can add a label to the latest build in the plan:

- 1. Right-click on the plan and select 'Add label' from the <u>popup context menu</u>, or select the label icon from the <u>tool bar</u>.
- 2. A dialog box opens, as shown below. Enter your label text.

Screenshot: Adding a build label



RELATED TOPICS

Configuring the Plugin IDE Plugin User Guide for IDEA

Using Crucible in your Plugin

This page last changed on Jun 10, 2008 by smaddox.

The Atlassian IDE Plugin allows you to conduct <u>Crucible</u> reviews right there in your integrated development environment.

On this page:


Error formatting macro: toc: java.lang.NullPointerException

Crucible Status Icon

After you have defined at least one Crucible server in the <u>plugin configuration panel</u>, the Crucible status icon is displayed in the status bar. The icon has the following states:

- Grey when there are no reviews pending for which you have been made a reviewer by the review author or moderator.
- Grey with a green tick and a number of pending reviews next to it, when there is at least one pending review which has not already been seen in the Crucible tool window tab.

In addition to the icon, a popup window appears whenever a new pending review becomes available on the Crucible server.



Click the Crucible icon to open a Crucible tab. The icon state will be reset to grey.

The Contents of the Crucible Tab in the Plugin Window

The Crucible tab in the plugin window shows the list of reviews for which you have been made a reviewer. Screenshot: Crucible tab in the plugin tool window



You can perform the following functions for each line in the list:

• Double-click a line, or right-click and select 'View', to open the selected review in a new browser

Above the review list, there is a row of buttons with the following functions:


Open the plugin configuration panel.
 Get help on the usage of the Crucible tab (i.e. open this page in your browser).
 Refresh the status of the reviews in the list by polling defined Crucible servers.

Initiating the Review


To initiate a review of the code you have just created:

- 1. Invoke the VCS Commit dialogue on the set of changes you want to have reviewed (file, directory, change set or project). For example, invoke the Subversion -> Commit if SVN is your version control system (VCS) of choice.
- 2. This opens the 'Commit Changes' dialogue (pictured below), to which the plugin adds a 'Crucible Patch... button.
 - 1 All other functionality of the 'Commit Changes' dialogue remains unchanged.

 Screenshot: Subversion commit dialogue with the 'Create Crucible Review' button



- 3. Click the 'Crucible Patch...' button.
- 4. This opens the 'Create Patch Review' screen, pictured below. Screenshot: Creating a Crucible review



The fields on the 'Create Patch Review' dialogue are the same as the ones in the Crucible web UI. Additionally, the dialogue contains a read-only view of the patch to be reviewed in the 'Universal diff' format. In brief, the dialogue allows you to:

- Select a Crucible server, the project key and the version control system (VCS) repository key, if you choose to use one.
- Define the review title.
- · State the review objectives.
- 5. Place a tick in the 'Open browser to complete review creation' checkbox if you want to open the newly created review in a browser window. This allows you to define the moderator and reviewers and perform other tasks to finalise the review creation.
- 6. Click the 'Create review...' button to create the review on the Crucible server.

Refer to the Crucible documentation for more information about Crucible reviews.

RELATED TOPICS

Configuring the Plugin IDE Plugin User Guide for IDEA

Using JIRA in your Plugin

This page last changed on Jun 12, 2008 by smaddox.

The Atlassian IDE Plugin allows you to monitor, add and update <u>JIRA</u> issues right there in your integrated development environment.


On this page:

Error formatting macro: toc: java.lang.NullPointerException

Contents of the JIRA Tab in the Plugin Window

The JIRA tab of the plugin window shows a list of issues on the selected JIRA server. To build this list, you will use a filter defined either locally in the plugin window, or as a filter saved on the JIRA server. There are more guidelines on filters <u>below</u>.

Screenshot: JIRA tab of the plugin window, showing an issue context menu



The tool bar above the list of issues provides the following functionality:

- description configuration panel. (See Configuring the Plugin.)
- usage of the JIRA tab (i.e. open this page in your browser).
- of the list by re-running the currently defined filters.

- Open the plugin
- Get help on the
- Refresh the contents

•	StAC ▼	 Select your JIRA
•	server from the list of configured servers. (See Configuring the Plugin.)	— Add a JIRA issue.
•	(See below.)	— Quick search for
•	issue (launches a web browser). Use server filters	- Tick this box if you
	want to use a filter from the JIRA server. If not ticked, you will define a local window. (See below .)	,
•	Select saved filter ▼	— Select a filter defined
•	on the JIRA server. (See <u>below</u> .)	 Define a local filter.
•	(See <u>below</u> .)	,
	search results.	— Page through the

Viewing and Updating Issues

You can perform the following functions for each issue in the list:

- Hover over a line to see a preview of the issue information.
- Double-click a line to open the selected issue in a new browser window.
- Right-click a line to show a popup context menu (pictured in the screenshot <u>above</u>) with actions that can be performed for the selected issue:
 - ∘ View Open the selected issue in a new browser window.
 - Edit Open the selected issue for editing in a new browser window.
 - Add Comment Add a comment to the issue. (See <u>below</u>.)
 - Log Work Record the time worked against the issue. (See <u>below</u>.)
 - ° Create ChangeList Add a changelist relating to the issue. (See below.)
 - Assign Issue to Myself When you select this option, the issue is immediately assigned to
 your username on the JIRA server. The plugin will send JIRA the username which you used to
 authenticate to the JIRA server (as described in <u>Configuring the Plugin</u>).
 - Assign Issue to User When you select this option, the plugin prompts you for a username. Enter the JIRA username of the person to whom you wish to assign this issue. Note that the username is only validated when the request reaches the JIRA server. If the username is unrecognised, you will receive a remote validation exception message at the bottom of the plugin panel. Please try again.
 - Perform Issue Actions Hover over this option to see a list of available actions. Simple actions will be completed when you click the menu option. If the action needs more information, it will open in a browser window.
- 1 If your update does not appear in the issue preview, click the refresh icon

Filtering the List of Issues

- 1. First, select your JIRA server from the dropdown list in the tool bar. This list will show all JIRA servers defined in the plugin configuration panel.
- 2. Now you will see all relevant JIRA issues on that server.
 - The plugin will 'remember' your selection of the JIRA server and filter next time you start your IDF
- 3. Decide how to filter the issues on the server there are two ways to do this:
 - Use the filters defined on the JIRA server. These filters cannot be modified by the plugin. You can run the filter and display results in the JIRA tab of the plugin.
 - Or define your filter locally in the plugin window and send the filter values to the JIRA server.

Using Filters Defined on the JIRA Server

- 1. Put a tick in the 'Use server filters' checkbox in the plugin window.
- 2. Select the saved filter from the dropdown list. This list will show all saved filters which you have permission to view on the JIRA server.
- 3. Click the 'Refresh' icon *


If your filter does not appear in the list, click the selected JIRA server in the dropdown list again. This will refresh the list of filters.

For more information on JIRA filters, please refer to the <u>JIRA documentation</u>.

Using Filters Defined in the Plugin

1. Click the icon on the plugin's JIRA tab. The filter definition panel will open, as shown below.

Screenshot: Defining a filter in the JIRA tab of the plugin window



The filter definition panel provides a number of criteria which you can use to filter the issues. You can collapse and expand sections of the panel by clicking the arrow icons on the left of the panel.

Select one or more criteria.
 For each criterion, you can select multiple values by Control-clicking (Windows/Linux) or Command-clicking (OS X).


Click the 'Apply' icon
 apply and save your filter.

to

The filter definition view contains the following icons:


- Applies the defined filter and saves it, so that it is used next time you restart your IDE.
- Cancels the definition

of the filter and opens the issue list view.



Creating a New JIRA Issue

Screenshot: Creating a New JIRA issue



To add a new JIRA issue:

- 1. Select your JIRA server from the dropdown list on the tool bar.
- 2. Click the plus icon

on the tool bar.

- 3. A dialogue box opens, as shown above. The information requested is the same as required when you add an issue using the JIRA UI:
 - Project Select the JIRA project on the JIRA server.
 - Type Select the issue type, as defined within the JIRA project.
 - Priority Select the priority of the issue.
 - Summary Enter the title of your JIRA issue.
 - Description Enter a detailed description of the problem you wish to record or the feature you wish to request.
 - Assignee Enter the JIRA username of the person to whom you wish to assign this issue. If you leave this field empty, the issue will be added as 'unassigned'.


🔔 Note that the username is only validated when the request reaches the JIRA server. If the username is unrecognised, you will receive a remote validation exception message at the bottom of the plugin panel and the issue will not be added. Please try again.

4. Click the 'Create' button to add the issue to the selected JIRA server.

For more information on JIRA, please refer to the <u>JIRA documentation</u>.

Commenting on a JIRA Issue

Screenshot: Commenting a JIRA issue



To add a comment to an existing JIRA issue:

- 1. Select your JIRA server from the dropdown list in the tool bar.
- 2. Use the filter and search functions to find your issue.
- 3. Right-click the issue in the list and select 'Add Comment'.
- 4. A dialogue box appears, as pictured above. Add your comment text.
- 5. Click the 'Comment' button to append the comment to the issue on the JIRA server.

Logging Work


Screenshot: Creating a worklog entry against the JIRA issue



To log work performed against a JIRA issue:

- 1. Select your JIRA server from the dropdown list in the tool bar.
- 2. Use the <u>filter and search</u> functions to find your issue.
- 3. Right-click the issue in the list and select 'Log work'.
- 4. The 'Add Worklog' dialogue box appears, as pictured above.
- 5. 'Time spent' Enter the number of weeks, days, hours and minutes you have spent on the task, in the format *w*d*h*m. For example, 1w2d3h30m.
- 6. 'End time' Optionally, you can change the end time of your work. 'End time' has been pre-filled with the current time so that if you enter the log details right after you finish your work, you don't have to change anything.
- 7. 'Stop progress' Put a tick in the checkbox if you want to move the issue out of 'In Progress' status.
- 8. 'Comment' Optionally, you can enter some notes about the work done.
- 9. Click the 'Add Worklog' button.

Screenshot: Selecting end time for a worklog entry




To change the end time of your worklog:

- 1. Click the 'Change' button next to 'End time' on the 'Add Worklog' dialogue box.
- 2. The 'Set End Time' dialogue box appears, as pictured above. Select the end date ('Day') from the calendar widget.
- 3. Select the end time: the 'hour' in 24 hour format and the 'minute'.
 - 1 This is the time at which you finished the task, not the time taken to complete the task.
- 4. Click OK.

Creating a Changelist from a JIRA Issue

A changelist, or change set, is a collection of code changes committed at the same time. You may want to create a changelist in your IDE, based on the issue key and description from JIRA. This eases working on several issues simultaneously — you can drag and drop files you have modified from one changelists to another, and commit the whole changelist in one operation. The commit dialogue's comment box will be pre-populated with the name of the changelist.


Screenshot: Creating a changelist from a JIRA issue key



To create a changelist from an existing JIRA issue:

- 1. Select your JIRA server from the dropdown list in the tool bar.
- 2. Use the filter and search functions to find your issue.
- 3. Right-click the issue in the list and select 'Create ChangeList'.
- 4. A dialogue box appears, as pictured above. Enter any additional information required.
- 5. Click the 'Create' button.

Screenshot: Changelists defined from the JIRA issue keys



RELATED TOPICS

Configuring the Plugin IDE Plugin User Guide for IDEA

IDE Plugin Keyboard Shortcuts

This page last changed on Jun 10, 2008 by smaddox.

This page gives you some handy key combinations that you can press, to perform often-used functions.

Mac OS X

Tab and Main Window Actions

Key Combination	Function
Shift-Command-B	Show/hide Bamboo tab in main plugin window
Shift-Command-Y	Show/hide Crucible tab in main plugin window
Shift-Command-K	Show/hide JIRA tab in main plugin window
Shift-Command-G	Show plugin configuration window
Shift-Command-P	Show/hide main plugin window

JIRA Actions

Key Combination	Function
Shift-Alt-N	Create a JIRA issue
Shift-Alt-M	Comment on JIRA issue
Shift-Alt-S	Search for JIRA issue

Linux and Microsoft Windows

Tab and Main Window Actions

Key Combination	Function
Shift-Control-B	Show/hide Bamboo tab in main plugin window
Shift-Control-Y	Show/hide Crucible tab in main plugin window
Shift-Control-K	Show/hide JIRA tab in main plugin window
Shift-Control-G	Show plugin configuration window
Shift-Control-P	Show/hide main plugin window

JIRA Actions

Key Combination	Function	
Shift-Alt-N	Create a JIRA issue	
Shift-Alt-M	Comment on JIRA issue	
Shift-Alt-S	Search for JIRA issue	

RELATED TOPICS

IDE Plugin User Guide for IDEA

IDE Plugin Release Notes

This page last changed on Apr 08, 2008 by smaddox.

- Current released version Atlassian IDE Plugin for IDEA version 1.4 has now been released — see the Atlassian IDE Plugin 1.4 **Release Notes**
 - Atlassian IDE Plugin 1.4 Release Notes
 - Atlassian IDE Plugin 1.3.1 Release Notes
 - Atlassian IDE Plugin 1.3 Release Notes
 - Atlassian IDE Plugin 1.2.1 Release Notes

 - Atlassian IDE Plugin 1.2 Release Notes
 Atlassian IDE Plugin 1.1 Release Notes
 Atlassian IDE Plugin 1.0 Release Notes

Atlassian IDE Plugin 1.4 Release Notes

This page last changed on Jun 06, 2008 by jgorycki.

6 June 2008

With pleasure, Atlassian presents the Atlassian IDE Plugin version 1.4.

New! The plugin in Eclipse.

This release brings the first phase of our support for Eclipse, with the following features:

- Install and configure the plugin in Eclipse.
- View your build information via the plugin's Bamboo tab.

More features for the plugin in IDEA

There are some good fixes and improvements for the <u>IDEA</u> version of the plugin. Here are the highlights:

- The Crucible reviews are grouped according to Crucible Dashboard filters, making it easier for you to see the status of each review.
- The context menu for JIRA issues includes workflow actions. For example, you can now start progress, stop progress, etc. For simple actions, just click the menu option to complete the action. If the action needs more information, it will open in a browser window.
- When logging time against a JIRA issue, you can optionally stop progress.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the <u>Plugin 1.0 Release Notes</u>. Then follow our easy installation instructions.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.4

	Atlassian StA	\C (15 issues)		
Key	Summary	Pr		Status
PL-376	Proxy authentication problems on IDEA startup	•	å∕	Closed
PL-360	Create Changelist fails to add new changelist item	1	å	Closed
<u>PL-377</u>	when logging work for JIRA issue, allow to optionally stop progress	Û	å /	Closed
<u>PL-374</u>	remove xml-apis from the dependencies of commons		&	Closed
<u>PL-373</u>	A NPE occurs while adding new JIRA Server		∛	Closed
<u>PL-364</u>	Add help button to log work dialog	Û	∛	Closed
<u>PL-362</u>	Textual changes on General configuration tab	Û	∛	Closed
<u>PL-336</u>	Can't create issue / NullPointerException / IntelliJ Bugg?	Û	&	Closed
<u>PL-306</u>	Reviews I've completed yet aren't yet summarised are still shown in the Crucible tab	<u>†</u>	å	Closed
PL-279	Crucible Project filters	û	& /	Closed
<u>PL-276</u>	Show the state of the reviews - e.g. cross them out, (un)bold them, or	û	&	Closed

PL-389	add a tick mark when they are complete Change user interface widget used to input effor duration from 4 spinners to validated text field	t.	₩	Closed
<u>PL-368</u>	Typo in error message	û	₩	Closed
<u>PL-357</u>	Help links to unavailable	û	&	Closed
PL-333	page in Confluence Workflow actions in context menu for issues	•	&	Closed

Atlassian IDE Plugin 1.3.1 Release Notes

This page last changed on May 27, 2008 by smaddox.

27 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3.1. This is mostly a bug-fix release.

The new feature of this release is:

• The Log Work window now allows you to enter an end date. The plugin will calculate start date based on the worklog entries

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the <u>Plugin 1.0 Release Notes</u>. Then follow our easy <u>installation instructions</u>.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.3.1

	Atlassian St	AC (7 issues)		
Key	Summary	Pr	9	Status
PL-367	in the filter config panel, "fix for" version list box always shows version for the first ever selected	•	∛	Closed
<u>PL-369</u>	project. Issue type dropdown list has duplicate values when creating JIRA issue		*	Closed
PL-361	Fix typo 'snaphot' on General configuration tab	Û	&	Closed
PL-359	Create new Issue doesn't show Types	Û	∛	Closed
<u>PL-356</u>	Plugin home page in IDEA plugin manager should point to CAC documentation space	û	&	Closed
PL-355	Documentation for IDE Plugin 1.3.0	Û	&	Closed
<u>PL-334</u>	Log Work screen to have start date or end date	û	∛	Closed

Atlassian IDE Plugin 1.3 Release Notes

This page last changed on May 26, 2008 by smaddox.

26 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3. Highlights of this release include:

- When creating a JIRA issue, you can now assign it to anyone. When dealing with an existing issue, you can assign it to yourself or someone else.
- If a JIRA or Bamboo server is not available, the plugin will display an indication on the JIRA or Bamboo tab.
 - Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the <u>Plugin 1.0 Release Notes</u>. Then follow our easy <u>installation instructions</u>.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.3

	Atlassian StA	AC (7 issues)		
Key	Summary	Pr	9	Status
PL-353	Eclipse - display information about a single Bamboo build	Ŷ	₩	Closed
PL-339	Alllow assigning issue to myself or somebody else	Û	∛	Closed
PL-338	add method to Crucible's REST API to get reviews based on advanced filter	Û	₩	Closed
<u>PL-311</u>	IDE freezes momentarily when clicking + button to add a JIRA	Û	•	Resolved
PL-305	On creating a new JIRA, you should be able to assign it to a user other than the default asignee	Û	*	Closed
<u>PL-296</u>	JIRA icon in configuration should be grey if server is disabled	Û	∛	Closed
PL-225	indicate in the tool window that you cannot connect to a server (bamboo, crucible, etc.)	Û	&	Closed

Atlassian IDE Plugin 1.2.1 Release Notes

This page last changed on May 14, 2008 by edawson.

15 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2.1. This is a maintenance release containing various fixes.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights, then follow our easy installation instructions.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.2.1

Atlassian StAC (6 issues)					
Key	Summary	Pr	Status		
PL-345	Leftclick on JIRA issue casues error and no menu item visible	•	₩	Closed	
<u>PL-335</u>	Typo in check now dialog	•	& ∕	Closed	
PL-332	The build failures are not reported on upgrade to 1.2.0	•	₹	Closed	
PL-329		•	ૄ	Closed	
<u>PL-313</u>	The "Bad credentials" message is not very user friendly	û	∛	Closed	
<u>PL-307</u>	Project and column should be right-justified	•	∛	Closed	

Atlassian IDE Plugin 1.2 Release Notes

This page last changed on May 09, 2008 by jgorycki.

9 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2. Highlights of this release include:

- Support for HTTP proxies when configuring your server connections.
- Ability to log time on a JIRA issue within IDEA.
- Mouse-over tooltips for JIRA issues, showing detailed content of the JIRA ticket.

Developers will be interested to know that the plugin now communicates with JIRA via SOAP rather than XML-RPC. We needed SOAP to enable the JIRA time-logging feature mentioned above, so we have decided to move away from XML-RPC altogether.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the <u>Plugin 1.0 Release Notes</u>. Then follow our easy installation instructions.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.2

Atlassian StAC (5 issues)					
Key	Summary	Pr	9	Status	
PL-328	Documentation for IDE Plugin 1.2.0	Û	ď	Closed	
PL-290	Add mouseover tooltips for 'Key', 'Summary'	Û	∛	Closed	
<u>PL-248</u>	Tooltip with extended issue info when mousing over in JIRA tab	Û	*	Closed	
PL-244	Log Time via IDEA Plugin	Û	∛	Closed	
<u>PL-224</u>	HTTP proxy suport (w/ and w/o authentication)	Û	& ∕	Closed	

Atlassian IDE Plugin 1.1 Release Notes

This page last changed on Apr 29, 2008 by smaddox.

25 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.1.1. This is principally a bug-fix release.

Below is a list of the fixes and enhancements in this release.

You may notice that we have skipped version 1.1.0. This is because it had a problem which we fixed immediately, so version 1.1.1 is the one you want.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the <u>Plugin 1.0 Release Notes</u>. Then follow our easy <u>installation instructions</u>.

This is an open source project. You can get the source code from our SVN repository.

Complete List of Fixes in the Atlassian IDE Plugin 1.1.1

	Atlassian StA	C (21 issues)		
Key	Summary	Pr	St	atus
PL-261	Upgrade does not work properly when only SVN number is different	•	ĕ ∕	Closed
PL-242	Odd Crucible URL behaviour	•	∛	Closed
<u>PL-234</u>	Empty plugin window when configuration file is missing	•	&	Closed
PL-236	Plugins stops refreshing build status	Ŷ	∛	Closed
PL-172	IDEA exception: Using deprecated method will cease to exist in IDEA 7.0 final release	Ŷ	∛	Closed
PL-310	Release notes for Plugin version 1.1	Û	∛	Closed
<u>PL-294</u>	NullPointerException using the Atlassian Jira IDEA Plugin	l ûr	∛	Closed
PL-286	NPE when trying to edit Jira filters	û	∛	Closed
<u>PL-270</u>	Missing JIRA password doesn't stop progress animation	Û	∛	Closed
<u>PL-266</u>	Check Now button for new version should not display unnecessary MessageBox		& ∕	Closed
<u>PL-265</u>	the LICENSE file should be deployed in the plugin's zip file (in META- INF?)	Û	∛	Closed
<u>PL-264</u>	NPE after leaving the IDEA unattended for an hour	Û	&	Closed
PL-262	RPC not supported or remote error: java.lang.NoSuchMethodE com.atlassian.jira.rpc.xmli when I call Test Connection		e.getComponents(Closed
PL-250	Connection			

	I want to be able to edit changeset comment when creating changeset from JIRA issue	Û	∛	Closed
PL-246	When I want to "check now" and select "unstable version" it is ignored until I press Apply	Û	&	Closed
PL-235	Missing information about server type in configuration window	Û	∛	Closed
<u>PL-232</u>	more responsiveness when fetching drop down list items	û	*	Closed
PL-227	CrucibleSessionImpl exception	Û	&	Closed
<u>PL-214</u>	JIRA does not support MissingPassword functionality	û	*	Closed
<u>PL-199</u>	Plugin makes frequent requests for DTD resources from w3.org	û	∛	Closed
PL-148	Plugin should show sth like "Refreshing" in tool window (e.g. in top or bottom) after user changes something in plugin settings and clicked on apply.	û ·	&	Closed

Cheers,

The Atlassian IDE Plugin development team

Atlassian IDE Plugin 1.0 Release Notes

This page last changed on Apr 10, 2008 by smaddox.

10 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin. The plugin is an addon for your integrated development environment (IDE). It allows you to pull in and work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant IRA issues, Bamboo build information and Crucible reviews right there in your development environment.

We are releasing version 1.0 of the plugin as a work in progress. Let us know what you think of it! Log your praise, ideas, feature requests and other issues in our <u>JIRA issue tracker</u>.

At the moment, the Atlassian IDE Plugin is available for <u>IDEA</u> 7.0.2 and above. In the future we will develop plugins for other IDEs, such as <u>Eclipse</u> and <u>Visual Studio</u>.

Want it?

Follow our easy installation instructions.


This is an open source project. You can get the source code from our SVN repository.

Use these Atlassian products right there in your IDE



JIRA — because you've got issues

- Use JIRA integrated into your IDE.
- · Connect to one or more JIRA servers.
- View all relevant JIRA feature requests, bug reports and other issues.
- Add a new issue or comment on an existing one.
- Create a changelist based on an issue, automatically adding the issue name as a comment when you commit the changes.
 (A changelist, or change set, is a collection of code changes committed at the same time.)




Bamboo — the Zen of continuous integration

- Monitor your builds while you work.
- <u>Connect</u> to one or more Bamboo servers.




- An icon *
 in the IDE status bar glows green or red,
 showing the latest build status.
- When a build fails, a popup window warns you of the problem.
- View your Bamboo plans, add labels and comments, and re-run a build when necessary.



Crucible — peer code review made painless

- Monitor your code reviews within your IDE.
- Connect to one or more Crucible servers.
- An icon s
 in the IDE status bar lets you know when a
 review needs your attention.
- A popup window appears whenever a new pending review is created.
- Kick off a review of the code you have just written.



Known Issues in This Release

We have an enthusiastic and dedicated group of testers and customers who jump in there, try out the new Atlassian IDE Plugin release, and report any problems so that we can fix them quickly. Here's a <u>list of known issues</u>.

A big thank you to everyone who provides feedback. Please keep logging issues and voting for them. And we'll keep plugging away at improving the plugin!



IDE Plugin Knowledge Base

This page last changed on Apr 08, 2008 by smaddox.

- Displaying a description of the issue status
 Troubleshooting Server Connection

 HTTP 404 error when connecting to Crucible even though the URL seems to be correct

Displaying a description of the issue status

This page last changed on Jun 02, 2008 by smaddox.

I want to see the description of the issue status in the JIRA table, not just an icon

Go to the JIRA tab in the plugin configuration panel and put a tick in the checkbox next to 'Display icon description'. There's more information in the $\underline{\text{documentation}}$.

You need to refresh the list of JIRA issues afterwards to see the new setting take effect.

Troubleshooting Server Connection

This page last changed on Jun 02, 2008 by smaddox.

Here is a list of problems you may encounter when accessing the servers configured in your plugin. For each entry, we have included the first few lines of content. Click a link to see the full text for each entry.

• HTTP 404 error when connecting to Crucible even though the URL seems to be correct — In the plugin configuration panel, you provide a URL for your <u>Crucible server</u>. When attempting to access Crucible, the plugin appends the string '/rest-service/' to the URL provided in the plugin configuration panel. The resulting URL is the REST endpoint of the Crucible instance. Therefore, you should enter just the base URL for your main Fisheye+Crucible website.

HTTP 404 error when connecting to Crucible even though the URL seems to be correct

This page last changed on Jun 02, 2008 by smaddox.

See bug PL-242.

In the plugin configuration panel, you provide a URL for your <u>Crucible server</u>. When attempting to access Crucible, the plugin appends the string '/rest-service/' to the URL provided in the plugin configuration panel. The resulting URL is the REST endpoint of the Crucible instance. Therefore, you should enter just the base URL for your main Fisheye+Crucible website.

Example:

- Let's say that the URL for your main Fisheye+Crucible website is http://your.host, and the URL for your Crucible server is http://your.host/cru.
- In the plugin configuration panel, you should enter the following as the connection URL:

http://your.host

• The resulting REST endpoint that the plugin tries to reach will be http://your.host/rest-service.

• The situation can become even more complicated when the Crucible server is fronted by Apache acting as a proxy. Mappings for Crucible URLs can be configured in an unpredictable way, resulting in weird '404' errors.